



## Table of Contents

### VOLUME 96, 1995 (Evoked Potentials)

#### MAIN ARTICLES

Multichannel visual evoked potentials in migraine M. Tagliati, M. Sabbadini, G. Bernardi and M. Silvestrini (Italy)	1
Somatosensory evoked potential spinal cord monitoring reduces neurologic deficits after scoliosis surgery: results of a large multicenter survey M.R. Nuwer, E.G. Dawson, L.G. Carlson, L.E.A. Kanim and J.E. Sherman (USA)	6
Pain-related somatosensory evoked potentials following CO <sub>2</sub> laser stimulation of foot in man X. Xu, M. Kanda, K. Shindo, N. Fujiwara, T. Nagamine, A. Ikeda, M. Honda, N. Tachibana, G. Barrett, R. Kaji, J. Kimura and H. Shibasaki (Japan, UK)	12
Steady-state visually evoked potential topography during the Wisconsin card sorting test R.B. Silberstein, J. Ciorciari and A. Pipingas (Australia)	24
Late ERP components in visual and auditory Go/Nogo tasks M. Falkenstein, N.A. Koshlykova, V.N. Kiroj, J. Hoormann and J. Hohnsbein (Germany, Russia)	36
Is "memory-scanning" time in the Sternberg paradigm reflected in the latency of event-related potentials? L. Pelosi, M. Hayward and L.D. Blumhardt (UK)	44
A comparative study of ERP correlates of psychometric and Piagetian intelligence measures in normal and hyperactive children P. Robaey, S. Cansino, M. Dugas and B. Renault (Canada, France, Mexico)	56
Readiness to respond in a target detection task: pre- and post-stimulus event-related potentials in normal subjects A. Starr, P. Sandroni and H.J. Michalewski (USA)	76
Comparison of the pattern reversal visual evoked potential mediated by separate cone systems B. Johnsen, J.L. Frederiksen and H.B.W. Larsson (Denmark)	97
Cervical and scalp recorded short latency somatosensory evoked potentials in response to epidural spinal cord stimulation in patients with peripheral vascular disease C. Paradiso, L. De Vito, S. Rossi, C. Setacci, N. Battistini, R. Cioni, S. Passero, F. Giannini and P.M. Rossini (Italy)	105
Two distinct cervical N13 potentials are evoked by ulnar nerve stimulation G. Zanette, M. Tinazzi, P. Manganotti, C. Bonato and A. Polo (Italy)	114
Somatotopy of human hand somatosensory cortex revealed by dipole source analysis of early somatosensory evoked potentials and 3D-NMR tomography H. Buchner, L. Adams, A. Müller, I. Ludwig, A. Knepper, A. Thron, K. Niemann and M. Scherg (FRG)	121
The interaction of the somatosensory evoked potentials to simultaneous finger stimuli in the human central nervous system. A study using direct recordings C.-L. Hsieh, F. Shima, S. Tobimatsu, S.-J. Sun and M. Kato (Japan)	135
Tonotopic organization of the human auditory cortex: N100 topography and multiple dipole model analysis C. Verkindt, O. Bertrand, F. Perrin, J.-F. Echallier and J. Pernier (France)	143
Auditory event-related potentials dissociate early and late memory processes L.L. Chao, L. Nielsen-Bohlman and R.T. Knight (USA)	157
Event-related desynchronization (ERD) patterns during memory processes: effects of aging and task difficulty K. Dujardin, J.L. Bourriez and J.D. Guieu (France)	169
Mental representations of movements. Brain potentials associated with imagination of hand movements R. Beisteiner, P. Höllinger, G. Lindinger, W. Lang and A. Berthoz (Austria, France)	183
Eye closure affects flash VEP latency in dementia A. Tartaglione, F. Bandini, M. Maculotti, M. Marogna, L. Spadavecchia and E. Favale (Italy)	197
Scalp-recorded oscillatory potentials evoked by transient pattern-reversal visual stimulation in man W.G. Sannita, L. Lopez, C. Piras and G. Di Bon (USA, Italy)	206
Topographic mapping of cortical potentials evoked by distension of the human proximal and distal oesophagus Q. Aziz, P.L. Furlong, J. Barlow, A. Hobson, S. Alani, J. Bancewicz, M. Ribbands, G.F.A. Harding and D.G. Thompson (UK)	219
Short latency median nerve somatosensory evoked potential (SEP): increase in stimulation frequency from 3 to 30 Hz G.M. Manzano, J.M. De Navarro, J.A.M. Nóbrega, N.F. Novo and Y. Juliano (Brazil)	229
Median nerve somatosensory evoked potentials. Apomorphine-induced transient potentiation of frontal components in Parkinson's disease and in parkinsonism P.M. Rossini, M.A. Bassetti and P. Pasqualetti (Italy)	236

# Table of Contents

## VOLUME 96, 1995 (Evoked Potentials)

### MAIN ARTICLES

Multichannel visual evoked potentials in migraine M. Tagliati, M. Sabbadini, G. Bernardi and M. Silvestrini (Italy)	1
Somatosensory evoked potential spinal cord monitoring reduces neurologic deficits after scoliosis surgery: results of a large multicenter survey M.R. Nuwer, E.G. Dawson, L.G. Carlson, L.E.A. Kanim and J.E. Sherman (USA)	6
Pain-related somatosensory evoked potentials following CO <sub>2</sub> laser stimulation of foot in man X. Xu, M. Kanda, K. Shindo, N. Fujiwara, T. Nagamine, A. Ikeda, M. Honda, N. Tachibana, G. Barrett, R. Kaji, J. Kimura and H. Shibasaki (Japan, UK)	12
Steady-state visually evoked potential topography during the Wisconsin card sorting test R.B. Silberstein, J. Ciorciari and A. Pipingas (Australia)	24
Late ERP components in visual and auditory Go/Nogo tasks M. Falkenstein, N.A. Koshlykova, V.N. Kiroj, J. Hoormann and J. Hohnsbein (Germany, Russia)	36
Is "memory-scanning" time in the Sternberg paradigm reflected in the latency of event-related potentials? L. Pelosi, M. Hayward and L.D. Blumhardt (UK)	44
A comparative study of ERP correlates of psychometric and Piagetian intelligence measures in normal and hyperactive children P. Robaey, S. Cansino, M. Dugas and B. Renault (Canada, France, Mexico)	56
Readiness to respond in a target detection task: pre- and post-stimulus event-related potentials in normal subjects A. Starr, P. Sandroni and H.J. Michalewski (USA)	76
Comparison of the pattern reversal visual evoked potential mediated by separate cone systems B. Johnsen, J.L. Frederiksen and H.B.W. Larsson (Denmark)	97
Cervical and scalp recorded short latency somatosensory evoked potentials in response to epidural spinal cord stimulation in patients with peripheral vascular disease C. Paradiso, L. De Vito, S. Rossi, C. Setacci, N. Battistini, R. Cioni, S. Passero, F. Giannini and P.M. Rossini (Italy)	105
Two distinct cervical N13 potentials are evoked by ulnar nerve stimulation G. Zanette, M. Tinazzi, P. Manganotti, C. Bonato and A. Polo (Italy)	114
Somatotopy of human hand somatosensory cortex revealed by dipole source analysis of early somatosensory evoked potentials and 3D-NMR tomography H. Buchner, L. Adams, A. Müller, I. Ludwig, A. Knepper, A. Thron, K. Niemann and M. Scherg (FRG)	121
The interaction of the somatosensory evoked potentials to simultaneous finger stimuli in the human central nervous system. A study using direct recordings C.-L. Hsieh, F. Shima, S. Tobimatsu, S.-J. Sun and M. Kato (Japan)	135
Tonotopic organization of the human auditory cortex: N100 topography and multiple dipole model analysis C. Verkindt, O. Bertrand, F. Perrin, J.-F. Echallier and J. Pernier (France)	143
Auditory event-related potentials dissociate early and late memory processes L.L. Chao, L. Nielsen-Bohlman and R.T. Knight (USA)	157
Event-related desynchronization (ERD) patterns during memory processes: effects of aging and task difficulty K. Dujardin, J.L. Bourriez and J.D. Guieu (France)	169
Mental representations of movements. Brain potentials associated with imagination of hand movements R. Beisteiner, P. Höllinger, G. Lindinger, W. Lang and A. Berthoz (Austria, France)	183
Eye closure affects flash VEP latency in dementia A. Tartaglione, F. Bandini, M. Maculotti, M. Marogna, L. Spadavecchia and E. Favale (Italy)	197
Scalp-recorded oscillatory potentials evoked by transient pattern-reversal visual stimulation in man W.G. Sannita, L. Lopez, C. Piras and G. Di Bon (USA, Italy)	206
Topographic mapping of cortical potentials evoked by distension of the human proximal and distal oesophagus Q. Aziz, P.L. Furlong, J. Barlow, A. Hobson, S. Alani, J. Bancewicz, M. Ribbands, G.F.A. Harding and D.G. Thompson (UK)	219
Short latency median nerve somatosensory evoked potential (SEP): increase in stimulation frequency from 3 to 30 Hz G.M. Manzano, J.M. De Navarro, J.A.M. Nóbrega, N.F. Novo and Y. Juliano (Brazil)	229
Median nerve somatosensory evoked potentials. Apomorphine-induced transient potentiation of frontal components in Parkinson's disease and in parkinsonism P.M. Rossini, M.A. Bassetti and P. Pasqualetti (Italy)	236

Neural generators of early cortical somatosensory evoked potentials in the awake monkey N. Nicholson Peterson, C.E. Schroeder and J.C. Arezzo (USA)	248
Auditory evoked potentials in a patient with a unilateral lesion of the inferior colliculus and medial geniculate body C. Fischer, L. Bogner, F. Turjman and C. Lapras (France)	261
An adaptive filter for steady-state evoked responses Y. Tang and A.M. Norcia (USA)	268
Spatio-temporal multiple source localization by wavelet-type decomposition of evoked potentials A.B. Geva, H. Pratt and Y.Y. Zeevi (Israel)	278
Establishment of normal values for flash visual evoked potentials (VEPs) in preterm infants: a longitudinal study with special reference to two components of the N1 wave S. Tsuneishi, P. Casaer, J.M. Fock and S. Hirano (Belgium)	291
Peri-rolandic and fronto-parietal components of scalp-recorded giant SEPs in cortical myoclonus A. Ikeda, H. Shibasaki, T. Nagamine, X. Xu, K. Terada, T. Mima, R. Kaji, I. Kawai, Y. Tatsuoka and J. Kimura (Japan)	300
Generator locations of movement-related potentials with tongue protrusions and vocalizations: subdural recording in human A. Ikeda, H.O. Lüders, R.C. Burgess, A. Sakamoto, G.H. Klem, H.H. Morris, III and H. Shibasaki (USA, Japan, Brazil)	310
Subject-based P1 latency inter-root comparison, a method to evaluate P1 latency in scalp recorded somatosensory evoked potentials obtained with sensory nerve stimulation in the lower extremities E. Pape (Norway)	329
Auditory brain-stem responses evoked by electrical stimulation of the cochlear nucleus in human subjects M.D. Waring (USA)	338
Neuromagnetic measurements of the human primary auditory response I. Hashimoto, T. Mashiko, K. Yoshikawa, T. Mizuta, T. Imada and M. Hayashi (Japan)	348
The origin of the human auditory brain-stem response wave II W.H. Martin, H. Pratt and J.W. Schwegler (USA)	357
Origin and distribution of P13 and P14 far-field potentials after median nerve stimulation. Scalp, nasopharyngeal and neck recording in healthy subjects and in patients with cervical and cervico-medullary lesions D. Restuccia, V. Di Lazzaro, M. Valeriani, G. Conti, P. Tonali and F. Mauguière (Italy, France)	371
Effect of sleep stage on somatosensory evoked potentials by median nerve stimulation S. Nakano, S. Tsuji, K. Matsunaga and Y. Murai (Japan)	385
Sequential analysis of the brain's transfer properties during consecutive REM episodes J. Rösche, K. Mann, D. Riemann, C. Frank and J. Fell (Germany)	390
Auditory event-related potentials to deviant stimuli during drowsiness and stage 2 sleep O. Winter, A. Kok, J.L. Kenemans and M. Elton (The Netherlands)	398
Brain-stem auditory evoked potential monitoring. Variations of stimulus artifact in brain death G. Litscher, G. Schwarz and R. Kleinert (Austria)	413
Auditory steady-state responses to multiple simultaneous stimuli O.G. Lins and T.W. Picton (Canada)	420
Information processing during cardiac surgery: an event related potential study J.C. Van Hooff, N.A.M. De Beer, C.H.M. Brunia, P.J.M. Cluitmans, H.H.M. Korsten, G. Tavilla and R. Grouls (The Netherlands)	433
Aging, caffeine, and information processing: an event-related potential analysis M.M. Lorist, J. Snel, G. Mulder and A. Kok (The Netherlands)	453
Data dependent weighted averages for recording of evoked potential signals A. Bezerianos, N. Laskaris, S. Fotopoulos and P. Papathanasopoulos (Greece)	468
Clinical evaluation of VEPs to interleaved checkerboard reversal stimulation of central, hemi- and peripheral fields A. Brusa, C. Mortimer and S.J. Jones (UK)	485
Electrophysiological exploration of visual function in mitochondrial diseases F. Rigaudière, N. Manderieux, J.-F. Le Gargasson, J.-E. Guez and Y. Grall (France)	495
Short latency visual evoked potentials to flashes from light-emitting diodes H. Pratt, N. Bleich and W.H. Martin (Israel)	502
Clinical value of the pudendal somatosensory evoked potential M.L. Delodovici and C.J. Fowler (UK, Italy)	509
Modulation of sural nerve somatosensory evoked potentials during stance and different phases of the step-cycle E. Altenmüller, W. Berger, T. Prokop, M. Trippel and V. Dietz (Germany, Switzerland)	516
Auditory evoked potentials in Down's syndrome F. Díaz and M. Zurrón (Spain)	526
Electric source localization of the auditory P300 agrees with magnetic source localization I.M. Tarkka, D.S. Stokić, L.F.H. Basile and A.C. Papanicolaou (USA)	538
Variability and replicability of the mismatch negativity E. Pekkonen, T. Rinne and R. Näätänen (Finland)	546
P3b-like potential of rats recorded in an active discrimination task E. Jodo, S. Takeuchi and Y. Kayama (Japan)	555
The Duffing oscillator: a model for the dynamics of the neuronal groups comprising the transient evoked potential R. Srebro (USA)	561
Signal detection in averaged evoked potentials: Monte Carlo comparison of the sensitivity of different methods A. Achim (Canada)	574

## SHORT COMMUNICATIONS

Pitch change of a continuous tone activates two distinct processes in human auditory cortex: a study with whole-head magnetometer J. Lavikainen, M. Huotilainen, R.J. Ilmoniemi, J.T. Simola and R. Näätänen (Finland)	93
Catecholaminergic function and P300 amplitude in major depressive disorder (P300 and catecholamines) M. Hansenne, W. Pitchot, A. Gonzalez Moreno, P. Papart, M. Timsit-Berthier and M. Ansseau (Belgium)	194
"Filtering effect" of cerebrospinal fluid on spinal somatosensory evoked potentials: case report B. Cioni, M. Meglio, M. Visocchi, L. Pentimalli and D. Cabezas Cuevas (Italy)	287
P300 in response to the subject's own name I. Berlad and H. Pratt (Israel)	472
Recovery functions of early cortical median nerve SSEP components: normative data A. Romani, R. Bergamaschi, M. Versino, R. Callieco, G. Calabrese and V. Cosi (Italy)	475
Recovery after surgery of the spinal N24 SEP in dural arteriovenous malformation of the dorsal cord M. Valeriani, D. Restuccia, V. Di Lazzaro and P. Tonali (Italy)	479

## BOOK REVIEWS

Spehlmann's evoked potential primer: visual, auditory, and somatosensory evoked potentials in clinical diagnosis by K.E. Misulis	289
The merging of the senses by B.E. Stein and M.A. Meredith	483
<i>Announcement from the Publisher</i>	290
<i>Errata</i>	484
<i>Index of Authors to Volume 96, 1995</i>	585
<i>Index of Subjects to Volume 96, 1995</i>	589
<i>Table of Contents to Volume 96, 1995</i>	594

